

## AMENDMENTS TO THE CLAIMS

1. (Currently amended) An inspired air temperature measurement device that is a device for measuring inspired air temperature inside a respiratory circuit having an air flow path, comprising a sensor to detect the temperature of inspired air inside the inspired air flow path, and a holder to hold the sensor in the inspired air flow path, the holder having a heat transfer suppressing portion that suppresses temperature transfer from the exterior of the inspired air flow path to the sensor,

wherein the holder has a holder main body that is adapted to be affixed to the respiratory circuit, and an extended protrusion that is affixed to the holder main body, the extended protrusion extending from the holder main body towards the inside of the respirator flow path, the sensor being affixed in the vicinity of the tip of the extended protrusion and installed inside the inspired air flow path, and the heat transfer suppressing portion being formed on the extended protrusion,

wherein the heat transfer suppressing portion is a curved portion that is a portion of the extended protrusion, [[and]]

wherein the length of the extended protrusion is longer than a diameter of the respiratory circuit[[.]],

wherein the curved portion of the extended protrusion suppresses the temperature transfer from the exterior of the inspired air flow path to the sensor by using heat exchange between the curved portion and the inspired air flow path within the respiratory circuit.

2. (Original) The inspired air temperature measurement device of Claim 1, wherein the holder is installed in a heating environment.

3. (Original) The inspired air temperature measurement device of Claim 2, wherein the heating environment is the inside of an incubator.

4-5. (Canceled)

6. (Withdrawn) The inspired air temperature measurement device of Claim 4 wherein the heat transfer suppressing portion is a spiral portion that is a portion of the extended protrusion.

7. (Withdrawn) The inspired air temperature measurement device of Claim 1, wherein the heat transfer suppressing portion is a photo-reflective coating that is formed on the surface of the holder.

8. (Withdrawn) The inspired air temperature measurement device of Claim 1, wherein the heat transfer suppressing portion is a cover that covers at least a portion of the surface of the holder.

9. (Withdrawn) The inspired air temperature measurement device of Claim 8, wherein an air layer is formed between the cover and the holder.

10. (Withdrawn) The inspired air temperature measurement device of Claim 9, wherein the air layer is closed with respect to the external space.

11. (Withdrawn) The inspired air temperature measurement device of Claim 4, wherein the heat transfer suppressing portion is constituted by fins provided on the extended protrusion.

12. (Original) The inspired air temperature measurement device of Claim 1, wherein the holder main body and the extended protrusion are made into one piece.

13. (Previously presented) The inspired air temperature measurement device of Claim 1, wherein the curving direction of the curved portion is in the direction of a heater which is installed inside the inspired air flow path and on the upstream of the sensor.

LAW OFFICES OF  
CHRISTENSEN O'CONNOR JOHNSON KINDNESS<sup>LLC</sup>  
1420 Fifth Avenue  
Suite 2800  
Seattle, Washington 98101  
206.682.8100